

Ovary

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 code C56.9, and excluding all morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 code 183.0

1994 Washington State Residents

Incidence and Mortality Summary by Sex

with rates per 100,000 and age-adjusted to 1970 US census population

Incidence			
	Male	Female	Total
All Reportable Cancers	n/a	460	n/a
Total Incidence Rates	n/a	14.8	n/a
Invasive Cancers*	n/a	460	n/a
Invasive Incidence Rates*	n/a	14.8	n/a
1994 National Rates*	n/a	14.1	n/a

*Excludes in situ cases


Mortality			
	Male	Female	Total
Deaths	n/a	297	n/a
Mortality Rates	n/a	9.5	n/a
1994 National Rates	n/a	7.8	n/a

1994 Washington State Residents

Stage at Diagnosis


Total Incidence and Percents

	All Stages	Localized
5-Year Survival Rates (US)	46.4%	92.6%




Ovary

1994 Washington State Female Residents
Age-Specific Incidence Rates
By Sex




Washington State Female Residents
Incidence and Mortality Rate Trends
Age-adjusted to 1970 US census population




Ovary

1994 Washington State Female Residents
Incidence Rates by PUMS Regions with rates in []'s and 95% CIs in |—|
Age-adjusted to 1970 US census population



1994 Washington State Female Residents
Death Rates by PUMS Regions with rates in []'s and 95% CIs in |—|
Age-adjusted to 1970 US census population




* Region 3: Chelan, Douglas, Kittitas & Okanogan
Region 12: Cowlitz, Klickitat, Skamania & Wahkiakum
Region 13: Adams, Ferry, Grant, Lincoln, Pend Oreille & Stevens
Region 17: Asotin, Columbia, Garfield, Walla Walla & Whitman

Ovary

1992-1994 Washington State Female Residents

Average Annual Incidence Rates by County with rates in []'s and 95% CI's |—| census population




NOTE: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases is less than 5.

Ovary

1992-1994 Washington State Female Residents

Average Annual Mortality Rates by County with rates in []'s and 95% CI's |—| census population



NOTE: Rates and confidence intervals are not computed when the 1992-1994 total number of deaths is less than 5.

Ovary

1992-1994 Washington State Female Residents

Average Annual Incidence and Deaths by County

with Age-Adjusted Rates and 95% Confidence Intervals

County	Incidence					Deaths				
	1992-1994 Annual Average					1992-1994 Annual Average				
	Average New Cases per Year	Age Adjusted to 1940 US Census Population	95% CI for Rates	Age Adjusted to 1970 US Census Population	95% CI for Rates	Average Deaths per Year	Age Adjusted to 1940 US Census Population	95% CI for Rates	Age Adjusted to 1970 US Census Population	95% CI for Rates
Adams	2	14.1	(4 - 44)	20.7	(6 - 55)	0	n/c	n/c	n/c	n/c
Asotin	2	8.7	(2 - 32)	9.1	(3 - 31)	1	n/c	n/c	n/c	n/c
Benton	9	12.0	(8 - 18)	13.5	(9 - 20)	8	10.0	(6 - 16)	12.6	(8 - 19)
Chelan	6	15.1	(9 - 26)	16.6	(10 - 28)	4	8.4	(4 - 18)	9.5	(5 - 19)
Clallam	5	9.5	(5 - 20)	10.7	(6 - 21)	4	6.1	(3 - 15)	7.6	(4 - 17)
Clark	15	8.1	(6 - 11)	9.9	(7 - 14)	14	7.5	(5 - 11)	9.3	(7 - 13)
Columbia	0	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
Cowlitz	7	12.6	(8 - 21)	15.1	(9 - 24)	5	6.9	(4 - 13)	9.2	(5 - 16)
Douglas	2	7.3	(2 - 23)	9.9	(3 - 27)	1	n/c	n/c	n/c	n/c
Ferry	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Franklin	5	21.9	(12 - 39)	25.6	(14 - 45)	2	5.8	(2 - 16)	8.5	(3 - 22)
Garfield	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Grant	4	8.5	(4 - 17)	10.5	(5 - 20)	3	7.7	(3 - 17)	9.4	(4 - 19)
Grays Harbor	8	16.9	(10 - 27)	17.7	(11 - 28)	3	4.6	(2 - 12)	6.1	(3 - 13)
Island	5	12.0	(6 - 22)	13.0	(7 - 23)	3	6.1	(3 - 14)	7.0	(3 - 16)
Jefferson	4	14.2	(7 - 36)	18.4	(10 - 41)	3	11.4	(4 - 34)	14.8	(6 - 38)
King	154	15.0	(14 - 17)	16.7	(15 - 18)	82	6.9	(6 - 8)	8.8	(8 - 10)
Kitsap	17	14.6	(11 - 20)	15.5	(11 - 21)	9	7.5	(5 - 11)	8.8	(6 - 13)
Kittitas	1	n/c	n/c	n/c	n/c	2	10.6	(4 - 26)	13.4	(5 - 32)
Klickitat	2	12.8	(4 - 39)	16.7	(6 - 45)	1	n/c	n/c	n/c	n/c
Lewis	6	13.4	(8 - 23)	15.7	(9 - 26)	5	8.9	(4 - 18)	10.2	(5 - 19)
Lincoln	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
Mason	6	20.6	(12 - 37)	22.2	(13 - 38)	3	11.1	(5 - 24)	12.7	(6 - 27)
Okanogan	3	14.1	(7 - 30)	15.1	(7 - 31)	2	5.5	(2 - 19)	7.2	(2 - 21)
Pacific	2	10.4	(3 - 35)	11.8	(4 - 37)	2	7.3	(2 - 31)	10.1	(4 - 34)
Pend Oreille	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
Pierce	58	14.8	(13 - 17)	17.1	(15 - 20)	34	7.3	(6 - 9)	9.6	(8 - 12)
San Juan	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Skagit	9	14.2	(9 - 22)	16.0	(10 - 25)	8	9.6	(6 - 17)	12.1	(7 - 20)
Skamania	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Snohomish	46	15.1	(13 - 18)	17.4	(15 - 21)	22	6.9	(5 - 9)	8.6	(7 - 11)
Spokane	38	15.3	(12 - 19)	16.9	(14 - 21)	22	7.6	(6 - 10)	9.1	(7 - 12)
Stevens	3	16.3	(7 - 33)	17.4	(8 - 35)	1	n/c	n/c	n/c	n/c
Thurston	21	17.6	(13 - 23)	19.3	(15 - 25)	13	9.0	(6 - 13)	11.6	(8 - 16)
Wahkiakum	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Walla Walla	3	8.1	(3 - 18)	7.8	(3 - 17)	2	3.0	(1 - 10)	4.1	(1 - 12)
Whatcom	15	19.3	(14 - 26)	20.1	(15 - 28)	8	8.7	(5 - 14)	10.4	(7 - 16)
Whitman	4	21.4	(10 - 40)	25.6	(13 - 47)	3	13.8	(6 - 30)	18.4	(8 - 38)
Yakima	14	10.7	(7 - 15)	12.2	(9 - 17)	10	5.5	(3 - 9)	7.5	(5 - 11)
Unidentified	2	.	n/c	.	n/c	0	n/c	n/c	n/c	n/c
State Total	482	14.3	(14 - 15)	16.1	(15 - 17)	285	7.2	(7 - 8)	9.1	(9 - 10)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.

Ovary

1994 Washington State Female Residents

Incidence and Incidence Rates by PUMS Region with Age-Adjusted Rates and 95% Confidence Intervals

PUMS Regions	Total					Male					Female				
	New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
(1) Whatcom	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	15	17.5	(10 - 30)	17.6	(10 - 31)
(2) Island, San Juan, Skagit	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	15	12.9	(7 - 24)	13.7	(8 - 25)
(3) Chelan, Douglas, Kittitas, Okanogan	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	5	4.8	(1 - 13)	4.6	(2 - 13)
(4) Kitsap	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	17	13.4	(8 - 23)	14.2	(8 - 24)
(5) Clallam, Jefferson, Mason	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	10	10.7	(5 - 24)	10.3	(5 - 23)
(6) Snohomish	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	48	15.4	(11 - 21)	17.9	(13 - 24)
(7) King	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	146	14.4	(12 - 17)	15.7	(13 - 19)
(8) Pierce	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	60	15.1	(11 - 20)	17.6	(13 - 23)
(9) Thurston	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	17	14.6	(8 - 25)	16.3	(9 - 27)
(10) Grays Harbor, Lewis, Pacific	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	14	12.6	(7 - 24)	14.1	(8 - 26)
(11) Clark	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	14	6.8	(4 - 13)	8.3	(5 - 15)
(12) Cowlitz, Klickitat, Skamania, Wahkiakum	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	13	13.4	(7 - 27)	17.5	(9 - 32)
(13) Adams, Ferry, Grant, Lincoln, Pend Oreille, Stevens	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	10	11.6	(5 - 24)	12.7	(6 - 25)
(14) Spokane	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	34	12.4	(8 - 18)	14.5	(10 - 21)
(15) Benton, Franklin	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	19	17.3	(10 - 29)	20.9	(13 - 34)
(16) Yakima	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	15	10.0	(5 - 19)	11.4	(6 - 20)
(17) Asotin, Columbia, Garfield, Walla Walla, Whitman	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	8	8.5	(3 - 21)	9.0	(4 - 21)
Unidentified	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
STATE TOTAL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	460	13.2	(12 - 15)	14.8	(13 - 16)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.

Ovary

1994 Washington State Female Residents

Mortality and Mortality Rates by PUMS Region with Age-Adjusted Rates and 95% Confidence Intervals

PUMS Regions	Total					Male					Female				
	New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
(1) Whatcom	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11	12.2	(6 - 23)	14.3	(7 - 27)
(2) Island, San Juan, Skagit	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	10	8.8	(4 - 19)	9.6	(4 - 20)
(3) Chelan, Douglas, Kittitas, Okanogan	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	3	n/c	n/c	n/c	n/c
(4) Kitsap	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	7	5.8	(2 - 13)	6.5	(3 - 15)
(5) Clallam, Jefferson, Mason	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12	11.1	(5 - 24)	13.1	(7 - 27)
(6) Snohomish	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	24	7.2	(5 - 11)	9.0	(6 - 14)
(7) King	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	90	8.0	(6 - 10)	9.9	(8 - 12)
(8) Pierce	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	36	7.5	(5 - 11)	9.9	(7 - 14)
(9) Thurston	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	17	12.0	(7 - 21)	14.9	(9 - 25)
(10) Grays Harbor, Lewis, Pacific	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	8	4.8	(2 - 14)	5.9	(2 - 15)
(11) Clark	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	18	10.2	(6 - 17)	12.4	(7 - 20)
(12) Cowlitz, Klickitat, Skamania, Wahkiakum	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	5	5.8	(2 - 17)	6.8	(2 - 19)
(13) Adams, Ferry, Grant, Lincoln, Pend Oreille, Stevens	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	5	5.3	(2 - 15)	6.6	(2 - 17)
(14) Spokane	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	21	7.3	(4 - 12)	8.5	(5 - 14)
(15) Benton, Franklin	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11	9.8	(5 - 19)	12.3	(6 - 23)
(16) Yakima	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12	5.6	(3 - 12)	8.2	(4 - 16)
(17) Asotin, Columbia, Garfield, Walla Walla, Whitman	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	7	8.3	(3 - 20)	10.5	(4 - 24)
Unidentified	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
STATE TOTAL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	297	7.7	(7 - 9)	9.5	(8 - 11)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.